



TRB PLUG TO TRB PLUG STRAIGHT

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
1	BRASS	NICKEL	GOLD	-	-	1.837 [46.7]	.562 [14.3]	-	AD353-1NN-00N




TRB JACK TO TRB JACK STRAIGHT

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
2	BRASS	NICKEL	GOLD	-	-	1.360 [34.5]	.437 [11.1]	-	AD352-1NN-00N




TRB JACK TO TRB PLUG STRAIGHT

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
3	BRASS	NICKEL	GOLD	-	-	1.354 [34.4]	.500 [12.7]	-	AD354-1NN-00N




TRB JACK TO TRT PLUG STRAIGHT

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
4	BRASS	NICKEL	GOLD	-	-	1.359 [34.5]	.500 [12.7]	-	AD355-1NN-00N




TRT JACK TO TRB PLUG STRAIGHT

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
1	BRASS	NICKEL	GOLD	-	-	1.354 [34.4]	-	.500 [12.7]	AD356-1NN-00N




TRT PLUG TO TRB PLUG STRAIGHT

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
2	BRASS	NICKEL	GOLD	-	-	1.354 [34.4]	-	.500 [12.7]	AD357-1NN-00N




TRB PLUG (ISOLATED TRB BODY) TO BNC JACK STRAIGHT

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
3	BRASS	NICKEL	GOLD	-	-	1.550 [39.4]	-	.562 [14.3]	AD363-1NN-00N




TRB JACK (INTERMEDIATE GROUNDED TO BODY) TO BNC JACK STRAIGHT PANEL

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
4	BRASS	NICKEL	GOLD	BK350	.281 [7.1] MAX.	1.513 [38.4]	.913 [23.2]	.625 [15.9]	AD384-1BK-00N




TRB JACK (INTERMEDIATE GROUNDED TO BODY) TO BNC JACK STRAIGHT PANEL

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
1	BRASS	NICKEL	GOLD	BK200	.156 [4.0] MAX.	1.290 [32.8]	.775 [19.7]	.800 [20.3]	AD384-1BK-01N



TRB JACK (INTERMEDIATE GROUNDED TO BODY) TO MCX JACK STRAIGHT PANEL

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
2	BRASS	NICKEL	GOLD	BK330	.197 [5.0] MAX.	.835 [21.2]	.510 [13.0]	.500 [12.7]	AD446-1BK-00N



TRB JACK (ISOLATED CONNECTOR BODY) TO MCX JACK STRAIGHT PANEL

FIG.	MATERIAL	BODY PLATING	CONTACT PLATING	MOUNTING	PANEL THICKNESS	DIM "A"	DIM "B"	DIM "C"	PART NUMBER
3	BRASS	NICKEL	GOLD	BK330	.197 [5.0] MAX.	.885 [22.5]	.510 [13.0]	.500 [12.7]	AD446-1BK-01N

